

APPROVAL SHEET

Part number	KCD2-21(N)-CA4C	Max. Rating	16 (4) A 250VAC
Product name	Rocker switch	Pages	3
Customer P/N			

Remarks:

1. The product specification is used as a technical agreement between user and producer, any place that product sample doesn't match with the corresponding content of this file will be considered to be invalid.
2. If users receive this approval sheet, but no signing as rules and give our their orders, which is also considered to agree to accept it.

Prepared by	Checked by	Approved by	Date
Chunsheng Liu	Zhengwen Wang	Zhijian Huang	2020.5.6

Customer Signature			
Prepared by	Checked by	Approved by	Date

SHANGHAI YONGXING ELECTRONIC SWITCH CO.,LTD.


Add: No. 635 Jianghe Road Sijing Town Songjiang District Shanghai China

Tel: 021-57620011-620

Fax: 021-57629089

URL: www.yxswitch.com

E-mail: yx@yxswitch.com



SHANGHAI YONGXING ELECTRONIC SWITCH CO., LTD

APPROVAL SHEET

YX-Aedition


Product name		Rocker switch
Part number		KCD2-21(N)-CA4C
Product Appearance:	1. Surface clean, no crack, blister and mechanical damage. 2. Coating without the phenomenon of layer and dropping 3. Mark is correct and clear. 4. Product appearance size conforms to outside drawing.	
Technical Parameter	Product size:	As attached drawing
	Rated range:	16(4) 250VAC
	Contact resistance:	$\leq 50\text{m}\Omega$ (initial value)
	Insulation resistance:	$\geq 1000\text{M}\Omega$
	Dielectric strength:	1500VAC (50Hz, 1Min)
	Operating temperature:	$-25^{\circ}\text{C} \sim +55^{\circ}\text{C}$
	Relative humidity:	<95%
	Electrical life:	10,000 (Cycles)
	Environmental requirement:	ROHS
	Flame retardant requirement	UL94-V2
	Protection Level:	IP40
	Operating force:	2N~8N
	Terminal insertion and drawing force:	$\geq 80\text{N}$
	Soldering:	Soldering temperature $\leq 320^{\circ}\text{C}$; Soldering time $\leq 3\text{s}$
	Indicator Voltage:	$U_e \leq 48\text{V}$, permitted fluctuation $\pm 5\%$; $U_e > 48\text{V}$, permitted fluctuation $\pm 20\%$

Prepare: Chunsheng Liu

Check: Wang Zhengwen

Approve: Huang Zhijian

Date: 2020.5.12



SHANGHAI YONGXING ELECTRONIC SWITCH CO., LTD

APPROVAL SHEET

YX-Aedition

Product name	Rocker switch
Part number	KCD2-21(N)-CA4C

Outside dimension	<p>Produc type: KCD2-21N-CA4C KCD2-21-CA4C</p>	<p>Undeclared tolerance ± 0.2 mm</p>

Mounting hole Size	<p>Z: 安装面板 厚度</p>			Circuit											
	Z	X	Y												
	0.75~1.25	28.0 ^{+0.10} ₀	22 ^{+0.10} ₀												
	1.25~2.00	28.0 ^{+0.10} ₀	22.1 ^{+0.10} ₀												
	2.00~3.00	28.0 ^{+0.10} ₀	22.2 ^{+0.10} ₀												
					<table><tr><td>代码</td><td>图解</td><td>描述</td></tr><tr><td>21</td><td>ON - OFF </td><td>双级单掷</td></tr><tr><td>21N</td><td>ON - OFF </td><td>双级单掷带灯</td></tr></table>	代码	图解	描述	21	ON - OFF 	双级单掷	21N	ON - OFF 	双级单掷带灯	
代码	图解	描述													
21	ON - OFF 	双级单掷													
21N	ON - OFF 	双级单掷带灯													

Prepare: Chunsheng Liu

Check: Wang Zhengwen

Approve: Huang Zhijian

Date: 2020.5.12